



Fujitsu ScanSnap iX500 A4 Document Scanners FJ3903



Compact &
Easy-to-use

The ScanSnap iX500 provides PC and Mac users an effective way to greatly reduce paper clutter, storage space, and security risk associated with unmanaged paperwork at home or office. For even greater accessibility and usefulness, users can now scan wirelessly to a PC or Mac as well as iOS or Android mobile devices

Compact Color Duplex Scanner for Mac or PC

- One button searchable PDF creation
- Advanced paper feeding system
- Blazing 25ppm color scanning
- 50-page Automatic Document Feeder (ADF)
- Built-in G1 microprocessor
- USB 3.0 (or lower)
- Scan wirelessly to a PC or Mac
- Scan wirelessly to iOS or Android mobile devices
- Comes with Adobe® Acrobat® Standard for Windows®
- Faster searchable PDF creation
- More Quick Menu Productivity
- Enhance productivity with Fujitsu service and support

Easily Transform Paper with the Touch of a Button

Achieving organization with the ScanSnap iX500 starts with the touch of a single button and ends with a host of productivity features that keep you ahead of the stack.

Fujitsu ScanSnap iX500

A4 Document Scanners

ScanSnap iX500 Specifications	
ADF (Doc. Feeder)	Yes
ADF Scan Area - Max.	216x863 mm
ADF Scan Area - Min.	51x51 mm
Duplex or Simplex	True Duplex
ADF Speed (ppm)	25
ADF Capacity (pages)	50
ADF Speed Duplex (ipm)	50
ADF Paper Path	Straight
Paper Weight	40 to 209 gsm
Duty Cycle	★★★★★
Colour Modes	B&W, Greyscale, Colour
Scanning Technology	2 x CIS
Interface	USB3
Resolution (dpi, optical)	600
File Formats	Text Searchable PDF, JPEG
Supported OS	WINDOWS XP (32), VISTA, Win 7, Win 8 (32/64), Mac OS X 10.6-10.10 (ScanSnap Organizer & Adobe Acrobat bundled software not supported under Mac)
Software Standards	Specific driver (not Twain or ISIS). If you require a scanner with Twain or ISIS support see the fi-7030 or SP-1125.
Imaging Features	Deskewing, auto-crop, blank page removal.
In the Box	ScanSnap Organizer, ABBYY FineReader SE, CardMinder
Electrical	Input: 100-240 VAC, 50/60 Hz. Power consumption:
Light Source	LED
Dimensions	292x159x168 mm
PC Configuration	Minimum: 2GB RAM, USB1. Recommended: 4GB RAM, USB2 or USB3
Weight	4.5
Operating Environment	5°C to 35°C, 20-80%RH
Warranty	12 months parts & labour warranty